WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 4:

(11) International Publication Number:

WO 89/07434

A61J 1/00, B01F 3/12

A1

(43) International Publication Date: 24 August 1989 (24.08.89)

(21) International Application Number:

PCT/SE89/00023

(22) International Filing Date:

27 January 1989 (27.01.89)

(31) Priority Application Number:

8800425-4

(32) Priority Date:

10 February 1988 (10.02.88)

(33) Priority Country:

(71)(72) Applicant and Inventor: WALLMARK, Kenneth [SE/SE]; S:t Eriks gata 7, S-392 46 Kalmar (SE).

(74) Agent: NYDELL, Peder; Nydells Patentbyrå, Storgatan 57, S-392 31 Kalmar (SE).

(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent), DK, FI, FR (European patent), GB (European patent), IT (European patent), LU (European patent), NL (European patent), NO, SE (European patent) patent),

US.


Published


With international search report.

(54) Title: A PROCESS OF MIXING A FLUID WITH A PULVERIZED SUBSTANCE AND A CONTAINER FOR CARRYING OUT THE PROCESS

(57) Abstract

The invention relates to a process of mixing a fluid with a pulverized substance which has tendency to emit dust when touched. The invention also relates to a container (1) for carrying out the process. According to the process the substance (4) is introduced into the container (1), whereafter the opening (3) of the container is covered by a filter (8). Then the fluid is introduced into the container through the filter (8). The filter (8), which is capable of permitting passage of the fluid but not the dust, has a vault extending into the opening (3) and consists suitably of a web of hairy or woolly threads (12, 13). The web (8) is suitably in the form of a bag, which extends a portion into the opening (3) of the container.





FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

Austria	FR	France	ML	Mali
Australia	GA	Gabon		Mauritania
Barbados	GB	United Kingdom		Malawi
Belgium				Netherlands
Bulgaria				Norway
Benin				Romania
Brazil				Sudan
Central African Republic				Sweden
Congo	KR			Senegal
Switzerland				Soviet Union
Cameroon	_			Chad
Germany, Federal Republic of				Togo
Denmark			-	United States of America
Finland	MG	Madagascar	03	Office States of America
	Australia Barbados Belgium Bulgaria Benin Brazil Central African Republic Congo Switzerland Cameroon Germany, Federal Republic of Denmark	Australia GA Barbados GB Belgium HU Bulgaria IT Benin JP Brazil KP Central African Republic Congo KR Switzerland LI Cameroon LK Germany, Federal Republic of LU Denmark MC	Australia GA Gabon Barbados GB United Kingdom Belgium HU Hungary Bulgaria IT Italy Benin JP Japan Brazil KP Democratic People's Republic of Korea Congo KR Republic of Korea Switzerland LI Liechtenstein Cameroon LK Sri Lanka Germany, Federal Republic of LU Luxembourg Denmark MC Monaco	Australia GA Gabon MR Barbados GB United Kingdom MW Belgium HU Hungary NL Bulgaria IT Italy NO Benin JP Japan RO Brazil KP Democratic People's Republic SD Central African Republic of Korea SE Congo KR Republic of Korea SN Switzerland LI Liechtenstein SU Cameroon LK Sri Lanka ID Germany, Federal Republic of LU Luxembourg TG Denmark MC Monaco US

A process of mixing a fluid with a pulverized substance and a container for carrying out the process

TECNICAL FIELD

5

The present invention relates to a process of mixing a fluid with a pulverized substance which has tendency to emit dust or powder when touched. The invention also relates to a container for carrying out the process.

10

PRIOR ART

Persons who carry out such mixing processes are often afflicted by dust that whirls up in the air when the fluid reaches the pulverized substance. A particular serious 15 problem is the manual preparing of medical mixtures, both solutions and suspensions, for example water mixtures of antibiotic. Such mixtures, which are given to children because they have difficulty in swallowing tablets, have a durability of only two weeks, for which reason they 20 cannot be prepared at the medical factory but have to be prepared at the drug-store each time. Therefore, the drugstore attendants are often susceptible to allergical problems due to the dust that whirls about in the air when 25 the water is poured on the pulverized substance during the preparing of the mixture.

DISCLOSURE OF THE INVENTION

An object of the invention is, therefore, to provide a process and a container of the aforementioned kind, where no dust will whirl up towards the attendants. This object is achieved with a process and a container of the aforesaid kind having the characterizing features set forth in 35 claims 1 and 3.

Further developments of the invention will be apparent

from the depending claims.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be described in more detail below with reference to the accompanying drawing, which illustrates a preferred embodiment of the invention.

Fig. 1 shows a longitudinal section of a container according to the invention. Fig. 2 shows a portion on an enlarged scale of a filter web which can be used in a filter
in the container in accordance with Fig. 1.

15 PREFERRED EMBODIMENT

Fig. 1 shows an exemplifying container, namely a medical container in the form of a cylindrical glass bottle 1 having an externally screw-threaded cylindric neck 2, the circular opening 3 of which defines the only opening of the bottle 1. The container 1 is partially filled with a predetermined amount of a pulverized medical substance 4, for instance antibiotic in the form of penicillin, for instance. The container 1 is also intended to be partially filled with a predetermined amount of fluid, for example water, that is to be mixed with the medical substance 4, for instance up to a level 5.

Supported on the circular end edge 6 of the neck opening 3
is a holder ring 7, for example of a plastic, at which a
filter 8 in the form a web or the like is secured, for
example by means of a press-joint, along a free edge 9.
The web 8 covers the opening 3 and forms a vault into the
same, preferably in the form of a bag which extends at
least a portion into the neck 2, or, as is shown in Fig.1,
also a portion into the container 1. The bag 8 is provided with longitudinal pleats or gatherings 10, which in-

crease the filter surface.

A closure device in the form of an internally threaded cap 11 is designed to be threaded over the neck 2 thereby to also press the holder ring 7 like a sealing against the end edge 6 of the neck 2.

The material of the filter 8 consists suitably of a web of a fine net of threads or cords 12 and 13, see fig. 2, for instance textile threads of a nature material such as cotton or a synthetic material or a combination thereof. According to the embodiment shown in Fig. 2, the threads 12, 13 are hairy or woolly such that they form a gitter which is impermeable to dust, and which also contributes to the generation of a fluid film on the web 8 which prevents any passage of dust therethrough. The web is suitably made of a textile web of gauze bandage type.

The process according to the invention for mixing a fluid 20 and a pulverized medical substance is carried out as follows.

A predetermined amount of the pulverized substance 4 is, preferably in a factory, caused to partially fill the 25 container 1. The opening 3 of the container is then covered by the filter 8, which is thereby brought into its active position, whereafter the cap 11 is screw-tightened. The container 1 together with the predetermined amount 4 can now be transported to the drug-store where it is 30 stored while waiting for any demand for a preparation of a mixture. When such a demand is present, the drugstore attendant unscrews the cap 11, whereupon the predetermined amount of fluid is introduced into the container 1 through the filter 8. Then the filter 8 is removed, i.e. it is brought to its inactive position, and the cap 11 is screw-tightened. The container 1 is shaked so

that the substance 4 and the fluid is carefully mixed. The mixture is now ready to be delivered to the patient.

The filter 8 may alternatively remain in the container 5 while shaking the same.

When preparing mixtures which require a significant little amount of fluid it may occur that too high percentage of the fluid will be absorbed by the filter 8. This is readily compensated for by the introduction of correspondingly larger amount of fluid, suitably according to a fluid-compensation table.

35


Claims


- 1. A process of mixing a fluid with a pulverized substance which has tendency to emit dust when touched,
- 5 characterized in
 - a) causing the pulverized substance to partially fill a container having an opening,
 - b) covering the opening by a filter which is capable of permitting passage of said fluid but not said dust, and
- 10 c) introducing the fluid into the container through the filter and shaking the container so that the pulverized substance mixes with the fluid.
- A process according to claim 1, c h a r a c t e r i z e d in that the pulverized substance is a medical substance.
- 3. A container for carrying out the process according to claim 1, c h a r a c t e r i z e d in that the container

 (1) is only partially filled with said pulverized substance (4) in order to permit introduction of said fluid, the container having an opening (3) which is provided with a filter (8) which is capable of permitting passage of said fluid but not said dust, and the container being provided with a closure device (11) capable of closing the opening.
- 4. A container according to claim 3, c h a r a c t e r i z e d in that the filter (8) forms a vault into the opening (3) to form a bag, which extends a portion into the container (1).
 - 5. A container according to claim 4, c h a r a c t e r i z e d in that the bag (8) is pleated to form an increased filter surface.
 - 6. A container according to any of the claims 3 ~ 5, c h a r a c t e r i z e d in that the filter (8) consists

of a fine net of threads (12, 13).

- 7. A container according to claim 6, c h a r a c t e r i z e d in that the threads (12, 13) have certain hairiness and woolliness which obstructs said passage of dust.
- 8. A container according to any of the claims 3 7, c h a r a c t e r i z e d in that the filter (8) is
 10 attached to a holder ring (7) which like a sealing is loosely attachable over the opening (3).





INTERNATIONAL SEARCH REPORT

International Application No PCT/SE 89/00023

I. CLASS	1. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) 5						
According to international Patent Classification (IPC) or to both National Classification and IPC							
A 61 J 1/00, B 01 F 3/12							
II. FIELDS	SEARCHED	Malaur Beeus	entation Searched 7				
Olas alGantia	- Custom	Minimum Docum	Classification Symbols				
Cassincarion System							
IPC 4 A 61 J 1/00, 5/00; B 01 F 1/00, 3/00, /12, 15/00, /02; B 67 C 3/00, /02, /04, /22 US C1. 128: 272.1; 141: 97, 98, 392; 206: 219; 215: 308; 604: 416							
Documentation Searched other than Minimum Documentation to the Extent that such Documents are included in the Fields Searched 9							
SE, NO, DK, Fi classes as above							
III. DOCU	MENTS CONSIDE	RED TO BE RELEVANT	needs of the colorest passages 12	Relevant to Claim No. 12			
Category *	Citation of Doc	ument, 11 with indication, where a	ppropriate, of the relevant pessages 12				
А	EP, A1,	0 033 374 (AGFA-GE 12 August 1981	VAERT AKTIENGESELLSCHAFT				
	-						
Special categories of cited documents: 19 Special categories of cited documents: 19 "A" document defining the general state of the art which is not considered to be of particular relevance. "E" earlier document but published on or after the international filing date invention. "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified). "O" document referring to an oral disclosure, use, exhibition or other means. "P" document published prior to the international filing date but later than the priority date claimed. "V. CERTIFICATION. Date of the Actual Completion of the International Search. "T" later document published after the international filing or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not in conflict with the application cited to understand the principle or theory underlying or priority date and not i							
1 _	9-04-20	OI ING INTERNETIONS! SARIES	1989 -04- 2	1989 -04- 2 5			
l	nal Searching Author		Signature of Authorized Officer / Wiva Asplund	turd			
1 Swe	dish Patent	UTTICE					